




Se debe contar con un usuario con permisos de administración del AD.




Se debe seleccionar de la siguiente manera:





En el momento en que salga la siguiente ventana se debe colocar la IP del AD y el puerto 8002



Fortinet Single Sign On Agent - Install DC Agent

Welcome to the DC Agent installation wizard. This wizard will install DC Agent on the Domain Controllers in your domain.

First please confirm the Collector Agent address and listening port.

Collector Agent


Collector Agent IP address: 192.168.3.3

Collector Agent listening port: 8002

Note: You need to have administrator access to the domain controller in order to install the DC Agent!

< Atrás    Siguiente >    Cancelar    Ayuda

Se selecciona el AD principal:



Fortinet Single Sign On Agent - Install DC Agent


Please select the domain(s) you want to monitor:

FSSO524fssso524.com

If some domains are missing, make sure the trusted relation between domains is set up properly, then run this wizard again.

< Atrás    Siguiente >    Cancelar    Ayuda

Si se requiere excluir algún usuario en específico para q no sea monitoreado por el FSSO se selecciona, en caso contrario se continua con la instalación.



En caso de tener varios AD, se seleccionan para q se instale el agente DC a todos, como se muestra acontinuación:

**Fortinet Single Sign On Agent - Install DC Agent** [X]

Select domain controllers for monitoring user logon event: [Uncheck All]

☒ FSSO524/WIN-AD.fss0524.com

Working Mode

☐ DC Agent Mode (Click Next will start the installation of DC Agent)

☒ Polling Mode (Polling logon sessions from Domain Controller)

☐ Poll logon sessions using Windows NetAPI

☒ Check Windows Security Event Logs

[Empty text box]

[< Atrás] [Siguiente >] [Cancelar] [Ayuda]

**Fortinet Single Sign On Agent - Install DC agent** [X]


Domain controllers monitored by this Collector Agent:

FSSO524/WIN-AD.fss0524.com

[Empty list box with scrollbar]

[< Atrás] [Finalizar] [Cancelar] [Ayuda]

Consola del agente:




The image shows the 'Fortinet Single Sign On Agent Configuration' window. It contains several sections for configuring the agent's behavior.

- Monitoring:** ☒ Monitoring user logon events, ☒ Support NTLM authentication. Collector Agent Status: RUNNING.
- Listening ports:** FortiGate: 8000, DC Agent: 8002.
- Logging:** Log level: Warning, Log file size limit(MB): 10. Buttons: View Log, View Logon Events.
- Authentication:** ☒ Require authenticated connection from FortiGate. Password: [masked].
- Timers:** Workstation verify interval (minutes): 5, Dead entry timeout interval (minutes): 480, IP address change verify interval (seconds): 60. ☐ Cache user group lookup result, Cache expire in (minutes): 60. Button: Clear Group Cache.
- Common Tasks:** Show Service Status, Show Monitored DCs, Show Logon Users, Select Domains To Monitor, Set Directory Access Information, Set Group Filters, Set Ignore User List, Sync Configuration With Other Agents, Export Configuration.
- Buttons:** Advanced Settings, Save&close, Apply, Default, Help.

En la consola se debe configurar el Password este debe ser el mismo que se configura en el FW.

La pestaña de Show Monitore DCs es para verificar si se están monitoreando todos los AD



The image shows the 'DC Agent Status' window, which displays the status of active DC agents.


Active DC Agents: 1

IP Address	# Logon Events	Last Logon Event Received	Received at
192.168.3.3	404	WIN-AD.fsso524.com/KEEPALIVE/Polling	2016/09/02 11:49:18

Buttons: Select DC to Monitor..., Refresh Now, Close.




La pestaña de Show Logon User es para verificar los usuarios activos en el AD que está viendo el FSSO.




La pestaña de Set Group filter es donde se realiza la configuración de los Grupos a Monitorear por el FW, estas configuraciones se realizan de la siguiente manera:


Se selecciona add:



Se selecciona Default filter y Advancerd



Se selecciona los Grupos que van a tener Filtrado Web, para que solo dichos grupos sean monitoreados:



**FortiGate Group Filter**

FortiGate Group Filter

☒ Default filter

FortiGate Serial Number: Default

Description: Default filter

Monitor the following groups:

FSS0524/FSS0

Enter the group names then click "Add", or click "Advanced..." to select from the directory.

Add Advanced... Remove

OK Cancel

**FortiGate Filter List**

Specify monitoring groups of FortiGate. Users logon/logoff activities will only be sent to the FortiGate if the users belongs to its monitored groups. If a default filter is defined, it will be used when no matching FortiGate filter is found.

FortiGate SN	Description	Monitored groups
Default	Default filter	FSS0524/FSS0

Add... Edit... Remove OK Cancel

Finalmente, en la Consola principal se da aplicar, en el FW se debe refrescar luego de esta configuración.