

Referencias bibliográficas

1. Aldeeri, A., Alhammad, L., Alduham, A., Ghassan, W., Shafshak, S., & Fatani, E. (2018). Association of Orthodontic Clear Aligners with Root Resorption Using Three-dimension Measurements: A Systematic Review. *The journal of contemporary dental practice*, 19(12), 1558–1564.
2. Al-Moghrabi, D., Salazar, F. C., Pandis, N., & Fleming, P. S. (2017). Compliance with removable orthodontic appliances and adjuncts: A systematic review and meta-analysis. *American journal of orthodontics and dentofacial orthopedics : official publication of the American Association of Orthodontists, its constituent societies, and the American Board of Orthodontics*, 152(1), 17–32. <https://doi.org/10.1016/j.ajodo.2017.03.019>
3. Apuzzo, F., Perillo, L., Carrico, C.K. et al. Clear aligner treatment: different perspectives between orthodontists and general dentists. *Prog Orthod.* 20, 10 (2019). <https://doi.org/10.1186/s40510-019-0263-3>
4. Aromataris, E., Fernandez, R., Godfrey, C. M., Holly, C., Khalil, H., & Tungpunkom, P. (2015). Summarizing systematic reviews: methodological development, conduct and reporting of an umbrella review approach. *International journal of evidence-based healthcare*, 13(3), 132–140. <https://doi.org/10.1097/XEB.000000000000055>
5. Alstad, S., & Zachrisson, B. (1979). Longitudinal study of periodontal condition associated with orthodontic treatment in adolescents. *American Journal of Orthodontics*, 76(3), 277–286. [https://doi.org/10.1016/0002-9416\(79\)90024-1](https://doi.org/10.1016/0002-9416(79)90024-1)
6. Barreda, G. J., Dzierewianko, E. A., Muñoz, K. A., & Piccoli, G. I. (2017). Surface wear of resin composites used for Invisalign® attachments. Desgaste superficial de las resinas compuestas utilizadas en los "attachments" de la técnica Invisalign®. *Acta odontologica latinoamericana : AOL*, 30(2), 90–95.
7. Cardier, F. B. & Santacoloma, S. (2017). Análisis del estado final de alineación dental y oclusión de los tratamientos ortodóncicos realizados en la Pontificia Universidad Javeriana evaluado mediante el sistema de Calificación Objetiva. Recuperado de: <http://hdl.handle.net/10554/39821>.
8. Cardoso, P. C., Espinosa, D. G., Mecnas, P., Flores-Mir, C., & Normando, D. (2020). Pain level between clear aligners and fixed appliances: a systematic review. *Progress in orthodontics*, 21(1), 3. <https://doi.org/10.1186/s40510-019-0303-z>.
9. Cerroni, S., Pasquantonio, G., Condò, R., & Cerroni, L. (2018). Orthodontic Fixed Appliance and Periodontal Status: An Updated Systematic Review. *The open dentistry journal*, 12, 614–622. <https://doi.org/10.2174/1745017901814010614>
10. Elhaddaoui, R., Qoraich, H. S., Bahije, L., & Zaoui, F. (2017). Orthodontic aligners and root resorption: A systematic review. *International orthodontics*, 15(1), 1–12. <https://doi.org/10.1016/j.ortho.2016.12.019>
11. Fang, X., Qi, R., & Liu, C. (2019). Root resorption in orthodontic treatment with clear aligners: A systematic review and meta-analysis. *Orthodontics & craniofacial research*, 22(4), 259–269. <https://doi.org/10.1111/ocr.12337>
12. Fusar-Poli P, Radua J. /2018). Ten simple rules for conducting umbrella reviews. *Evidence-Based Mental Health*; 21:95-100.

13. Galan-Lopez, L., Barcia-Gonzalez, J., & Plasencia, E. (2019). A systematic review of the accuracy and efficiency of dental movements with Invisalign®. *Korean journal of orthodontics*, 49(3), 140–149. <https://doi.org/10.4041/kjod.2019.49.3.140>
14. Gandhi, V., Mehta, S., Gauthier, M., Mu, J., Kuo, C. L., Nanda, R., & Yadav, S. (2021). Comparison of external apical root resorption with clear aligners and pre-adjusted edgewise appliances in non-extraction cases: a systematic review and meta-analysis. *European journal of orthodontics*, 43(1), 15–24. <https://doi.org/10.1093/ejo/cjaa013>
15. Han, G., Huang, S., Von den Hoff, J. W., Zeng, X., & Kuijpers-Jagtman, A. M. (2005). Root resorption after orthodontic intrusion and extrusion: an intraindividual study. *The Angle orthodontist*, 75(6), 912–918. [https://doi.org/10.1043/0003-3219\(2005\)75\[912:RRAOIA\]2.0.CO;2](https://doi.org/10.1043/0003-3219(2005)75[912:RRAOIA]2.0.CO;2)
16. Harris, K., Ojima, K., Dan, C., Upadhyay, M., Alshehri, A., Kuo, C. L., Mu, J., Uribe, F., & Nanda, R. (2020). Evaluation of open bite closure using clear aligners: a retrospective study. *Progress in orthodontics*, 21(1), 23. <https://doi.org/10.1186/s40510-020-00325-5>
17. Ho, C. T., Huang, Y. T., Chao, C. W., Huang, T. H., & Kao, C. T. (2021). Effects of different aligner materials and attachments on orthodontic behavior. *Journal of dental sciences*, 16(3), 1001–1009. <https://doi.org/10.1016/j.jds.2021.01.011>
18. Iglesias-Linares, A., Sonnenberg, B., Solano, B., Yañez-Vico, R. M., Solano, E., Lindauer, S. J., & Flores-Mir, C. (2017). Orthodontically induced external apical root resorption in patients treated with fixed appliances vs removable aligners. *The Angle orthodontist*, 87(1), 3–10. <https://doi.org/10.2319/02016-101.1>
19. Iliadi, A., Koletsi, D., & Eliades, T. (2019). Forces and moments generated by aligner-type appliances for orthodontic tooth movement: A systematic review and meta-analysis. *Orthodontics & craniofacial research*, 22(4), 248–258. <https://doi.org/10.1111/ocr.12333>
20. Iliadi, A., Koletsi, D., Papageorgiou, S. N., & Eliades, T. (2020). Safety Considerations for Thermoplastic-Type Appliances Used as Orthodontic Aligners or Retainers. A Systematic Review and Meta-Analysis of Clinical and In-Vitro Research. *Materials (Basel, Switzerland)*, 13(8), 1843. <https://doi.org/10.3390/ma13081843>
21. Jamilian, A., Cannavale, R., Piancino, M. G., Eslami, S., & Perillo, L. (2016). Methodological quality and outcome of systematic reviews reporting on orthopaedic treatment for class III malocclusion: Overview of systematic reviews. *Journal of orthodontics*, 43(2), 102–120. <https://doi.org/10.1080/14653125.2016.115533>
22. Jiang, Q., Li, J., Mei, L., Du, J., Levrini, L., Abbate, G. M., & Li, H. (2018). Periodontal health during orthodontic treatment with clear aligners and fixed appliances: A meta-analysis. *Journal of the American Dental Association (1939)*, 149(8), 712–720.e12. <https://doi.org/10.1016/j.adaj.2018.04.010>
23. Kesling, H.D. (1945). The philosophy of the tooth positioning appliance. *American Journal of Orthodontics and Oral Surgery*, 31, 297-304.
24. Ke, Y., Zhu, Y., & Zhu, M. (2019). A comparison of treatment effectiveness between clear aligner and fixed appliance therapies. *BMC oral health*, 19(1), 24. <https://doi.org/10.1186/s12903-018-0695-z>
25. Khalaf, K., & Mando, M. (2020). Removable appliances to correct anterior crossbites in the mixed dentition: a systematic review. *Acta odontologica Scandinavica*, 78(2), 118–125. <https://doi.org/10.1080/00016357.2019.1657178>

26. Lagravère, M. O., & Flores-Mir, C. (2005). The treatment effects of Invisalign orthodontic aligners: a systematic review. *Journal of the American Dental Association* (1939), 136(12), 1724–1729. <https://doi.org/10.14219/jada.archive.2005.0117>
27. Lupi, J. E., Handelman, C. S., & Sadowsky, C. (1996). Prevalence and severity of apical root resorption and alveolar bone loss in orthodontically treated adults. *American journal of orthodontics and dentofacial orthopedics : official publication of the American Association of Orthodontists, its constituent societies, and the American Board of Orthodontics*, 109(1), 28–37. [https://doi.org/10.1016/s0889-5406\(96\)70160-9](https://doi.org/10.1016/s0889-5406(96)70160-9)
28. Lu, H., Tang, H., Zhou, T., & Kang, N. (2018). Assessment of the periodontal health status in patients undergoing orthodontic treatment with fixed appliances and Invisalign system: A meta-analysis. *Medicine*, 97(13), e0248. <https://doi.org/10.1097/MD.00000000000010248>
29. Nordmann, A. J., Kasenda, B., & Briel, M. (2012). Meta-analyses: what they can and cannot do. *Swiss medical weekly*, 142, w13518. <https://doi.org/10.4414/smw.2012.13518>
30. Oikonomou, E., Foros, P., Tagkli, A., Rahiotis, C., Eliades, T., & Koletsi, D. (2021). Impact of Aligners and Fixed Appliances on Oral Health during Orthodontic Treatment: A Systematic Review and Meta-Analysis. *Oral health & preventive dentistry*, 19(1), 659–672. <https://doi.org/10.3290/j.ohpd.b2403661>
31. Papadimitriou, A., Mousoulea, S., Gkantidis, N., & Kloukos, D. (2018). Clinical effectiveness of Invisalign® orthodontic treatment: a systematic review. *Progress in orthodontics*, 19(1), 37. <https://doi.org/10.1186/s40510-018-0235-z>
32. Papageorgiou, S. N., Koletsi, D., Iliadi, A., Peltomaki, T., & Eliades, T. (2020). Treatment outcome with orthodontic aligners and fixed appliances: a systematic review with meta-analyses. *European journal of orthodontics*, 42(3), 331–343. <https://doi.org/10.1093/ejo/cjz094>
33. Papageorgiou, S. N., Konstantinidis, I., Papadopoulou, K., Jäger, A., & Bourauel, C. (2014). A systematic review and meta-analysis of experimental clinical evidence on initial aligning archwires and archwire sequences. *Orthodontics & craniofacial research*, 17(4), 197–215. <https://doi.org/10.1111/ocr.12048>
34. Partouche, A. J. D., Castro, F., Baptista, A. S., Costa, L. G., Fernandes, J. C. H., & Fernandes, G. V. O. (2022). Effects of Multibracket Orthodontic Treatment versus Clear Aligners on Periodontal Health: An Integrative Review. *Dentistry journal*, 10(10), 177. <https://doi.org/10.3390/dj10100177>
35. Pithon, M. M., Baião, F., Sant Anna, L., Paranhos, L. R., & Cople Maia, L. (2019). Assessment of the effectiveness of invisible aligners compared with conventional appliance in aesthetic and functional orthodontic treatment: A systematic review. *Journal of investigative and clinical dentistry*, 10(4), e12455. <https://doi.org/10.1111/jicd.12455>
36. Putrino, A., Barbato, E., & Galluccio, G. (2021). Clear Aligners: Between Evolution and Efficiency-A Scoping Review. *International journal of environmental research and public health*, 18(6), 2870. <https://doi.org/10.3390/ijerph18062870>
37. Robertson, L., Kaur, H., Fagundes, N., Romanyk, D., Major, P., & Flores Mir, C. (2019). Effectiveness of clear aligner therapy for orthodontic treatment: A systematic review. *Orthodontics & craniofacial research*, 23(2), 133–142. <https://doi.org/10.1111/ocr.12353>
38. Riley, M., & Bearn, D. R. (2009). A systematic review of clinical trials of aligning archwires. *Journal of orthodontics*, 36(1), 42–15. <https://doi.org/10.1179/14653120722914>

39. Rossini, G., Parrini, S., Castroflorio, T., Deregibus, A., & Debernardi, C. L. (2015). Efficacy of clear aligners in controlling orthodontic tooth movement: a systematic review. *The Angle orthodontist*, 85(5), 881–889. <https://doi.org/10.2319/061614-436.1>
40. Rossini, G., Parrini, S., Castroflorio, T., Deregibus, A., & Debernardi, C. L. (2015). Periodontal health during clear aligners treatment: a systematic review. *European journal of orthodontics*, 37(5), 539–543. <https://doi.org/10.1093/ejo/cju083>
41. Simon M, Keilig L, Schwarze J, Jung BA, Bourauel C. Forces and moments generated by removable thermoplastic aligners: incisor torque, premolar derotation, and molar distalization. *Am J Orthod Dentofacial Orthop*. 2014 Jun;145(6):728-36. doi: 10.1016/j.ajodo.2014.03.015. Erratum in: *Am J Orthod Dentofacial Orthop*. 2014 Oct;146(4):411. PMID: 24880843.
42. Sombuntham, N. P., Songwattana, S., Atthakorn, P., Jungudomjaroen, S., & Panyarachun, B. (2009). Early tooth movement with a clear plastic appliance in rats. *American journal of orthodontics and dentofacial orthopedics : official publication of the American Association of Orthodontists, its constituent societies, and the American Board of Orthodontics*, 136(1), 75–82. <https://doi.org/10.1016/j.ajodo.2007.08.021>
43. Tamer, İ., Öztaş, E., & Marşan, G. (2019). Orthodontic Treatment with Clear Aligners and The Scientific Reality Behind Their Marketing: A Literature Review. *Turkish journal of orthodontics*, 32(4), 241–246. <https://doi.org/10.5152/TurkJOrthod.2019.18083>
44. Tepedino, M., Paoloni, V., Cozza, P., & Chimenti, C. (2018). Movement of anterior teeth using clear aligners: a three-dimensional, retrospective evaluation. *Progress in orthodontics*, 19(1), 9. <https://doi.org/10.1186/s40510-018-0207-3>
45. Weir T. (2017). Clear aligners in orthodontic treatment. *Australian dental journal*, 62 Suppl 1, 58–62. <https://doi.org/10.1111/adj.12480>
46. Weltman, B., Vig, K. W., Fields, H. W., Shanker, S., & Kaizar, E. E. (2010). Root resorption associated with orthodontic tooth movement: a systematic review. *American journal of orthodontics and dentofacial orthopedics : official publication of the American Association of Orthodontists, its constituent societies, and the American Board of Orthodontics*, 137(4), 462–12A. <https://doi.org/10.1016/j.ajodo.2009.06.021>
47. Whiting, P., Savović, J., Higgins, J. P., Caldwell, D. M., Reeves, B. C., Shea, B., Davies, P., Kleijnen, J., Churchill, R., & ROBIS group (2016). ROBIS: A new tool to assess risk of bias in systematic reviews was developed. *Journal of clinical epidemiology*, 69, 225–234. <https://doi.org/10.1016/j.jclinepi.2015.06.005>
48. Wu, Y., Cao, L., & Cong, J. (2020). The periodontal status of removable appliances vs fixed appliances: A comparative meta-analysis. *Medicine*, 99(50), e23165. <https://doi.org/10.1097/MD.00000000000023165>
49. Zheng, M., Liu, R., Ni, Z., & Yu, Z. (2017). Efficiency, effectiveness and treatment stability of clear aligners: A systematic review and meta-analysis. *Orthodontics & craniofacial research*, 20(3), 127–133. <https://doi.org/10.1111/ocr.12177>
50. Zhou, N., & Guo, J. (2020). Efficiency of upper arch expansion with the Invisalign system. *The Angle orthodontist*, 90(1), 23–30. <https://doi.org/10.2319/022719-151.1>